

01 SERIES:FURNITURE FOOT ADAPTOR



01-T-RALU



01-ST-RALU



01-T-YALU



01-ST-YALU



01-T-GALU



01-T-SALU

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Stem Size(mm)	 loading height (mm)	 load capacity (KG)
2"	50	/	/	/	M10x15	/	M11x22	48	50

10 SERIES:PU CAST IRON LIGHT DUTY CASTOR



10-S-PU



10-R-PU



10-STB-PU



10-T-PU



10-TTB-PU



10-H-PU



10-HTB-PU

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
1.5"	35x27	60x48	48x35	6.2	M10x25	/	1.8/1.8	58/65	90

12 SERIES: TPR LIGHT DUTY CASTOR



12-S-TPR



12-R-TPR



12-STB-TPR



12-T-TPR




12-TB-TPR



12-H-TPR



12-HTB-TPR

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
2"	50x18	50x50	35x35	6.5x12	/	/	1.2/1.2	72	40
3"	75x24	65x65	45x45	6.5x12	M12x30	/	1.8/1.8	101	60
4"	100x25	65x65	45x45	6.5x12	M12x30	/	1.8/1.8	124	80

16 SERIES:DINING TROLLEY CART PU LIGHT DUTY CASTOR



16-T-PU



16-TB-PU



16-T-PU



16-TB-PU

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Stem Size(mm)	 loading height (mm)	load capacity (KG)
2"	50x24	/	/	/	M8x15 M10x15	/	M11x22	67	40
2.5"	65x24	/	/	/	M8x25 M10x25 M12x25	/	M11x22	82	55
3"	75x24	/	/	/	M8x25 M10x25 M12x25	/	M11x22	95	70

15S SERIES:NYLON STAINLESS STEEL LIGHT DUTY CASTOR



15S SERIES: OPTIONAL WHEELS



11S SERIES:NYLON WHEEL STAINLESS STEEL LIGHT DUTY CASTOR



11S SERIES: PU WHEEL STAINLESS STEEL LIGHT DUTY CASTOR



ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size (mm)	Axle Size (mm)	Bore Hole Size (mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
1.5"	38x22	54x44	40x30	6.3	M10x25	M10	1.8/1.8	60	30
2"	50x22	54x44	40x30	6.3	M10x25	M10	1.8/1.8	70	50

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size (mm)	Axle Size (mm)	Bore Hole Size (mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
1.5"	40x31	54x44	40x30	6.3	M10x25	M10	1.8/1.8	60	30
2"	50x31	54x44	40x30	6.3	M10x25	M10	1.8/1.8	70	50

108 SERIES: CHROME PLATED BRACKET TPR LIGHT DUTY CASTOR



108 SERIES: CHROME PLATED BRACKET TPR LIGHT DUTY CASTOR



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
1"	25x13	38x30	29x21	4.2	M6x15	/	1.2/1.2	38	10
1.25"	32x13	39x33	30x23	4.2	M6x15	/	1.2/1.2	43	15
1.5"	38x17	46x40	36x28	5.2	M8x15	/	1.5/1.5	53	20
A2"	50x18	46x40	36x28	5.2	M8x15	/	1.5/1.5	64	25
B2"	50x20	61x50	45x32	6.2	M10x25	/	1.5/1.5	75	35
2.5"	63x22	70x52	52x33	6.2	M10x25	/	1.8/1.8	90	55
3"	75x25	73x60	54x39	8.2	M10x25	/	2/1.8	103	65
4"	100x32	73x60	54x39	8.2	M10x25	/	2/1.8	129	75

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
1"	25x13	38x30	29x21	4.2	/	/	1.2/1.2	38	10
1.25"	32x13	39x33	30x23	4.2	/	/	1.2/1.2	43	15
1.5"	38x17	46x40	36x28	5.2	/	/	1.5/1.5	53	20
2"	50x18	46x40	36x28	5.2	/	/	1.5/1.5	64	25

14 SERIES:TRANSPARENT PU LIGHT DUTY CASTOR



ITEM NO										
1.5"	35x21	42x42	32x32	4.2	M8x15 M10x15	/	/	50	2/1.5	20
2"	50x21	42x42	32x32	4.2	M8x15 M10x15	/	/	63	2/1.5	30
3"	75x24	60x60	45x45	8.5x6.4	M8x15 M10x15	/	/	95	2/2	40

11 SERIES:PVC LIGHT DUTY CASTOR



ITEM NO									
1.5"	40x20	60x43	45x30	6.5x9.3	M10x25	/	1.8/1.8	61	25
2"	50x24	70x51	53x34	8.3x11.2	M10x25	/	1.8/1.8	72	35
2.5"	65x32	93x64	74x45	8.5x11.5	M10x25	/	3/2.3	90	90


11 SERIES:PVC LIGHT DUTY CASTOR



11 SERIES:PP LIGHT DUTY CASTOR



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
1.5"	40x20	60x43	45x30	6.5x9.3	M10x25	/	1.8/1.8	61	25
2"	50x24	70x51	53x34	8.3x11.2	M10x25	/	1.8/1.8	72	35
2.5"	65x32	93x64	74x45	8.5x11.5	M10x25	/	3/2.3	90	90

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
1.5"	40x20	60x43	45x30	6.5x9.3	M10x25	/	1.8/1.8	61	25
2"	50x24	70x51	53x34	8.3x11.2	M10x25	/	1.8/1.8	72	35
2.5"	65x32	93x64	74x45	8.5x11.5	M10x25	/	3/2.3	90	90

12 SERIES: PVC LIGHT DUTY CASTOR



ITEM NO	diameter x width (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size (mm)	Axle Size (mm)	Bore Hole Size (mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	50x17	50x50	35x35	6.5x12	M10x15	M10	1.2/1.2	71	30
2.5"	65x21	65x65	48x48	6.5x12	M10x15	M10	2/1.8	91	35
3"	75x21	65x65	48x48	6.5x12	M10x15	M10	2/1.8	101	45
4"	100x27	76x76	53x53	8.3x15.3	M10x15	M10	2/1.8	128	55
5"	100x27	76x76	53x53	8.3x15.3	M10x15	M10	2/1.8	154	65

12 SERIES: PVC LIGHT DUTY CASTOR



ITEM NO	diameter x width (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size (mm)	Axle Size (mm)	Bore Hole Size (mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	50x17	50x50	35x35	6.5x12	M10x15	M10	1.2/1.2	71	30
2.5"	65x21	65x65	48x48	6.5x12	M10x15	M10	2/1.8	91	35
3"	75x21	65x65	48x48	6.5x12	M10x15	M10	2/1.8	101	45
4"	100x27	76x76	53x53	8.3x15.3	M10x15	M10	2/1.8	128	55
5"	100x27	76x76	53x53	8.3x15.3	M10x15	M10	2/1.8	154	65

12 SERIES: PVC LIGHT DUTY CASTOR



ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	50x17	50x50	35x35	6.5x12	M10x15	M10	1.2/1.2	71	30

12 SERIES PVC DOUBLE WHEEL LIGHT DUTY CASTOR



ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	50x17	65x65	52x52	6.5x12	M10x15	M10	1.8/1.8	71	30
3"	75x21	65x65	52x52	6.5x12	M10x15	M10	2.5/2.5	91	35

12 SERIES TPR DOUBLE WHEEL LIGHT DUTY CASTOR



ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size (mm)	Axle Size (mm)	Bore Hole Size (mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	50x17	65x65	52x52	6.5x12	M10x15	M10	1.8/1.8	71	30
3"	75x21	65x65	52x52	6.5x12	M10x15	M10	2.5/2.5	91	35


12 SERIES PP DOUBLE WHEEL LIGHT DUTY CASTOR



ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size (mm)	Axle Size (mm)	Bore Hole Size (mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
2"	50x17	65x65	52x52	6.5x12	M10x15	M10	1.8/1.8	71	30
3"	75x21	65x65	52x52	6.5x12	M10x15	M10	2.5/2.5	91	35

13 SERIES : PP/RUBBER FAT CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
1.5"	38x24	61x36	48x23	6.2	/	/	1.8/1.8	50	27
2"	48x24	66x39	53x23	6.2	/	/	1.8/1.8	64	40
2.5"	63x28	99x52	81x25	8	/	/	2/2	81	70
3"	75x31	104x59	84x36	8.2	/	/	2/2	94	90
4"	100x32	130x98	102.5x76	8.2	/	/	2/2	124	100

15 SERIES: IRON LIGHT DUTY CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
1"	25x12	38x32	28x23	5	/	/	1.2/1.2	33	10
1.25"	30x14	38x32	28x23	5	/	/	1.2/1.2	39	20
1.5"	38x17	47x40	35x28	5	M10x25	/	1.2/1.2	50	30
2"	50x20	60x46	46x35	6	M10x25	/	1.5/1.5	63	40
2.5"	65x25	70x58	54x42	8.2	M10x25	/	2/1.8	80	55
3"	75x25	70x58	54x42	8.2	M10x25	/	2/1.8	90	65

15 SERIES: RED PVC LIGHT DUTY CASTOR



15-S-PVC



15-R-PVC



15-SLB-PVC



15-T-PVC



15-TLB-PVC



15-S-RB



15-R-RB



15-SLB-RB



15-T-RB



15-TLB-RB

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
1"	25x13	38x32	30x24	4.5	M8x15	/	1.2/1.2	33	10
1.25"	30x13	38x32	30x24	4.5	M8x15	/	1.2/1.2	38	15
1.5"	40x16	46x38	36x28	5.5	M8x15	/	1.2/1.2	50	20
2"	50x20	58x46	46x35	6.5	M8x15	/	1.5/1.5	63	25
2.5"	63x25	70x58	55x43	8.5	M10x15	/	2/1.8	80	30
3"	75x25	70x58	55x43	8.5	M10x15	/	2/1.8	90	35

15 SERIES: RUBBER LIGHT DUTY CASTOR

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
1"	25x13	38x32	30x24	4.5	M8x15	/	1.2/1.2	33	10
1.25"	30x13	38x32	30x24	4.5	M8x15	/	1.2/1.2	39	15
1.5"	40x16	46x38	36x28	5.5	M8x15	/	1.2/1.2	50	20
2"	50x20	58x46	46x35	6.5	M8x15	/	1.5/1.5	63	25
2.5"	63x25	70x58	55x43	8.5	M10x15	/	2/1.8	80	30
3"	75x25	70x58	55x43	8.5	M10x15	/	2/1.8	90	35

15 SERIES: PP LIGHT DUTY CASTOR




ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
1"	25x13	38x32	30x24	4.5	M8x15	/	1.2/1.2	33	10
1.25"	30x13	38x32	30x24	4.5	M8x15	/	1.2/1.2	38	15
1.5"	40x16	46x38	36x28	5.5	M8x15	/	1.2/1.2	50	20
2"	50x20	58x46	46x35	6.5	M8x15	/	1.5/1.5	63	25
2.5"	63x25	70x58	55x43	8.5	M10x15	/	2/1.8	80	30
3"	75x25	70x58	55x43	8.5	M10x15	/	2/1.8	90	35

15 SERIES: UPGRADED LIGHT DUTY CASTOR



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
2"	50x20	58x46	46x35	6.5	M8x15	/	1.5/1.5	65	40
2.5"	63x25	70x58	55x43	8.5	M10x15	/	2/1.8	82	50
3"	75x25	70x85	55x43	8.5	M10x15	/	2/1.8	92	60

20JZ SERIES:GATE SHOCK ABSORBING WHEEL



20JZ SERIES:STAINLESS STEEL GATE SHOCK ABSORBING WHEEL




ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)			
3"	75x32	92x67	75x45	/	/	/	25x20	120	172
4"	100x32	92x67	75x45	/	/	/	25x20	120	172
5"	125x32	92x67	75x45	/	/	/	25x20	120	172

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)			
3"	75x32	95x70	65x45	/	/	/	53x25	128	180
4"	100x32	95x70	65x45	/	/	/	53x25	128	180
5"	125x32	95x70	65x45	/	/	/	53x25	128	180

20S SERIES:NYLON WHEEL STAINLESS STEEL ECONOMY MEDIUM DUTY CASTER



20S SERIES: OPTIONAL WHEELS



ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
3"	75x32	95x64	74x45	12x8.5	M12x30	/	3/2.3	105	90
4"	100x32	95x64	74x45	12x8.5	M12x30	/	3/2.3	130	100
5"	125x32	95x64	74x45	12x8.5	M12x30	/	3/2.3	155	110

22S SERIES: STAINLESS STEEL AMERICAN-STYLE MEDIUM DUTY CASTER



22S SERIES: OPTIONAL WHEELS



ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
3"	75x32	95x70	74x48	12x8.5	M12x30	/	3.5/2.5	113	100
4"	100x32	95x70	74x48	12x8.5	M12x30	/	3.5/2.5	137	110
5"	125x32	95x70	74x48	12x8.5	M12x30	/	3.5/2.5	163	120


16 SERIES: TWIN WHEEL FURNITURE CASTOR



18 SERIES: BALL WHEEL FURNITURE CASTOR




ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Stem Size(mm)	 loading height (mm)	 load capacity (KG)
30	35x30	35x35 38x38	26x26	/	M6/M8/M10/M12	/	7.5x15 8x18 11x22	45	20
40	40x40	35x35 38x38	26x26	/	M6/M8/M10/M12	/	7.5x15 8x18 11x22	55	25
50	50x46	35x35 38x38	26x26	/	M6/M8/M10/M12	/	7.5x15 8x18 11x22	65	30


ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Stem Size(mm)	 loading height (mm)	 load capacity (KG)
18-1.5"	40x40	38x38	26x26	M5	M10x15	/	11x22	52	20
18-2"	50x50	38x38	26x26	M5	M10x15	/	11x22	63	25
188-2.5"	58x52	/	/	/	M8x15	/	11x22	66	40

20S SERIES:PU WHEEL STAINLESS STEEL ECONOMY MEDIUM DUTY CASTER




20S SERIES: OPTIONAL WHEELS



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
3"	75x32	95x64	74x45	12x8.5	M12x30	/	3/2.3	105	90
4"	100x32	95x64	74x45	12x8.5	M12x30	/	3/2.3	130	100
5"	125x32	95x64	74x45	12x8.5	M12x30	/	3/2.3	155	110

20 SERIES:HIGH TEMPERATURE WHEEL MEDIUM DUTY CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
3"	75x32	92x64	74x45	11.5x8.5	M12x30	M12	3/2.3	106	90
4"	100x32	92x64	74x45	11.5x8.5	M12x30	M12	3/2.3	131	100
5"	125x32	92x64	74x45	11.5x8.5	M12x30	M12	3/2.3	154	110


22 SERIES: TPR WHEEL HIGH STANDARD QUALITY MEDIUM DUTY CASTER



33 SERIES:PLASTIC BRACKET MEDICAL CASTER MEC SERIE



22 SERIES: OPTIONAL WHEELS



ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size (mm)	Axle Size (mm)	Bore Hole Size (mm)	Base plate/Bracket Thickness (mm)	loading height (mm)	load capacity (KG)
3"	75x32	95x64	74x45	12x8.5	M12x30	/	3.5/2.5	105	100
4"	100x32	95x64	74x45	12x8.5	M12x30	/	3.5/2.5	130	110
5"	125x32	95x64	74x45	12x8.5	M12x30	/	3.5/2.5	155	120

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size (mm)	Axle Size (mm)	Bore Hole Size (mm)	Stem Size (mm)	loading height (mm)	Base plate thickness (mm)	load capacity (KG)
3"	75x32	95x64	74x45	12x8.5	M12x25	1/2"	22x45	120	3	90
4"	100x32	95x64	74x45	12x8.5	M12x25	1/2"	22x45	149	3	120
5"	125x32	95x64	74x45	12x8.5	M12x25	1/2"	22x45	177.5	3	135


M2 SERIES: PLASTIC BRACKET MEDICAL CASTER MEC SERIE



M3/M4 SERIES: TWIN WHEEL MEDICAL CASTER



DIFFERENTIATION:M3/M4



*M3 WITHOUT BEARINGS

*M4 WITH BEARINGS

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate thickness (mm)	loading height (mm)	load capacity (KG)
3"	75x26	70x58	55x44	8.2	M12x25	10.2	3	107	60
4"	100x28	94.8x64	74.5x45	8.5x12	M12x25	12.2	3	139	90
5"	125x32	94.8x64	74.5x45	8.5x12	M12x25	12.2	3	164	110

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Stem Size(mm)	loading height (mm)	Base plate thickness (mm)	load capacity (KG)
2.5"	63x55	60x49	45.5x32.5	6.5	M10x20	/	11x22	78.6	3	M3:40 M4:50
3"	75x57	70x58	55x44	8.2	M12x25	/	11x22	90	3	M3:50 M4:60
4"	100x71	84x75	65x52.5	8.5	M12x25	/	11x22	121	3	80

M5 SERIES: TWIN WHEEL MEDICAL CASTER



M5-S-TPR



M5-STB-TPR



M5-T-TPR



M5-TB-TPR



M5-ST-TPR



M5-STTB-TPR

M6A/M6B SERIES: TWIN WHEEL MEDICAL CASTER



M6A/M6B-S-TPR



M6A/M6B-STB-TPR



M6A/M6B-T-TPR



M6A/M6B-TB-TPR



M6A/M6B-H-TPR



M6A/M6B-HTB-TPR

*M6A is single-bearing

*M6B is double-bearing

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate thickness (mm)	loading height (mm)	load capacity (KG)
3"	75x58	70x55	54x42	9	M12x25	/	3	105.5	60
4"	100x70	96x63	75x45	9	M12x25	/	3	138.5	80
5"	125x80	96x63	75x45	9	M12x25	/	3	160	100

ITEM NO	diameterxwidth (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size(mm)	Axle Size(mm)	Bore Hole Size(mm)	Base plate thickness (mm)	loading height (mm)	load capacity (KG)
5"	125x90	84x75	65x52.5	8.5	M12x25	M12	3	145.8	A:110 B:130

35 SERIES: MEDIUM-HEAVY DUTY CASTER



35-S-YPU



35-R-YPU



35-STB-YPU



35-S-PP



35-R-PP



35-STB-PP

36 SERIES : TOOL CART CASTER



36-S-PP



36-R-PP



36-SLB-PP



36-S-PP



36-R-PP



36-SLB-PP

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
4"	100x38	113x100 101x82	88x75 80x60	11.5	/	/	4/2.5	138	200
5"	125x38	113x100 101x82	88x75 80x60	11.5	/	/	4/2.5	162	280
6"	150x38	113x100 101x82	88x75 80x60	11.5	/	/	4/2.5	190	330

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
5"	125x50	95x75	74x44	11.5	/	/	2/2	168	300

31 SERIES: TWIN WHEEL MEDICAL CASTER



31-S-TPR



31-STB-TPR



31-T-TPR



31-TB-TPR




32-STB-TPR



32-ST1-TPR

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate thickness (mm)	 loading height (mm)	 load capacity (KG)
3"	75x58	70x55	54x42	9	M12x25	10.2	3	105.5	60
4"	100x70	96x63	75x45	9	M12x25	12.2	3	138.5	80
5"	125x80	96x63	75x45	9	M12x25	12.2	3	160	100

32-STB-TPR	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Base plate thickness (mm)	 Stem Size(mm)	 loading height (mm)	 load capacity (KG)
5"	125x80	/	/	/	/	3	28x100	170	120
6"	150x80	/	/	/	/	3	28x100	195	136

32 SERIES: LADLE COVER MEDICAL WHEEL



32-S-TPR



32-STB-TPR



32-T-TPR




32-TB-TPR



32-ST-TPR



32-STTB-TPR

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Base plate thickness (mm)	 Stem Size(mm)	 loading height (mm)	 load capacity (KG)
3"	75x26	65x65	47x47	6.4	M12x30	3.5	28x40	105	50
4"	100x26	95x67	73x45	8.4	M12x30	3.5	28x40	130	100
5"	125x32	95x67	73x45	8.4	M12x30	3.5	28x40	160	120

42 SERIES: HEAVY DUTY CASTER



42-S-PU



42-R-PU



42-STB-PU



41-S-PU



41-R-PU



41-STB-PU

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
4"	100x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	143	300
5"	125x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	165	350
6"	150x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	190	400
8"	200x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	241	450

43S SERIES: STAINLESS STEEL HEAVY DUTY CASTER



43S-S-NL



43S-R-NL



43S-STB-NL



43S-S-TPR



43S-R-TPR



43S-STB-TPR

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
4"	100x50	114x101	84x70	11.2x19.6	/	/	5/5	143	250
5"	125x50	114x101	84x70	11.2x19.6	/	/	5/5	165	300
6"	150x50	114x101	84x70	11.2x19.6	/	/	5/5	190	350
8"	200x50	114x101	84x70	11.2x19.6	/	/	5/5	241	400

41 SERIES: HEAVY DUTY CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
4"	100x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	143	250
5"	125x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	165	300
6"	150x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	190	350
8"	200x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	241	400

41 SERIES: HEAVY DUTY CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
4"	100x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	143	250
5"	125x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	165	300
6"	150x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	190	350
8"	200x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	241	400

41/42/43S SERIES:OPTIONAL WHEELS



41/42/43S SERIES:OPTIONAL WHEELS



48 SERIES: PU ON IRON/MC NYLON SUPER HEAVY DUTY CASTER



48-S-PU



48-R-PU



48-STB-PU



48-S-MCNL



48-R-MCNL



48-STB-MCNL

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
6"	160x75/PU 160x80/NL	180x140	146x86	14	/	/	10/10	207	1200/PU 1600/NL
8"	200x75/PU 200x80/NL	180x140	146x86	14	/	/	10/10	255	1500/PU 2000/NL
10"	250x75/PU 250x80/NL	180x140	146x86	14	/	/	10/10	300	2000/PU 2500/NL
12"	300x75/PU 300x80/NL	180x140	146x86	14	/	/	10/10	348	2500/PU 3000/NL

20 SERIES: TPR WHEEL MEDIUM DUTY CONDUCTIVE CASTER



20-S-TPR



20-STB-TPR



20-R-TPR



20-T-TPR



20-TB-TPR

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
3"	75x32	92x64	74x45	11.5x8.5	M12x30	M12	3/2.3	106	90
4"	100x32	92x64	74x45	11.5x8.5	M12x30	M12	3/2.3	131	100
5"	125x32	92x64	74x45	11.5x8.5	M12x30	M12	3/2.3	154	110

41 SERIES: TPR WHEEL HEAVY DUTY CONDUCTIVE CASTER



41-S-TPR



41-R-TPR



41-SLB-TPR



41-STB-TPR

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
4"	100x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	143	250
5"	125x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	165	300
6"	150x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	190	350
8"	200x50	114x101	84x70	11.2x19.6	/	/	5.5/5.5	241	400

61 SERIES:TPR SHOPPING CART CASTER/PU SHOPPING CART CASTER



61-T-TPR



61-H-TPR



61-T-PU

61-TPR	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Stem Size(mm)	 loading height (mm)	 load capacity (KG)
4"	100x32	/	/	/	M12x15	M12	/	128	110
5"	125x32	/	/	/	M12x15	M12	/	128	110

61-PU	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Stem Size(mm)	 loading height (mm)	 load capacity (KG)
3"	75x22	/	/	/	M12x15	M12	/	100	30
4"	100x22	/	/	/	M12x15	M12	/	130	40
5"	125x22	/	/	/	M12x15	M12	/	150	55


62 SERIES:TPR SHOPPING CART CASTER/PU SHOPPING CART CASTER



62-T-TPR



63-T-TPR

62-TPR	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Stem Size(mm)	 loading height (mm)	 load capacity (KG)
3"	75x22	/	/	/	M12x15	M12	/	100	30
4"	100x22	/	/	/	M12x15	M12	/	130	40
5"	125x22	/	/	/	M12x15	M12	/	150	55

61-TPR	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Stem Size(mm)	 loading height (mm)	 load capacity (KG)
4"	100x22	/	/	/	M12x15	M12	/	135	40
5"	125x22	/	/	/	M12x15	M12	/	155	60

93E SERIES: ELASTIC RUBBER/PU EUROPE TYPE INDUSTRIAL CASTER



93E-S-ERB



93E-R-ERB



93E-STB-ERB



93E-S-PU



93E-R-PU



93E-STB-PU

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
3.5"	80x36	100x82	80x60	8.5	/	/	$\frac{3}{2.5}$	105	80
4"	100x36	100x82	80x60	8.5	/	/	$\frac{3}{2.5}$	128	100
5"	125x40	100x82	80x60	8.5	/	/	$\frac{3}{2.5}$	155	130
6"	160x40	131x107	105x75	11	/	/	$\frac{4}{3}$	195	200
8"	200x50	131x107	105x75	11	/	/	$\frac{4}{3}$	235	230

93E SERIES: IRON/TPR EUROPE TYPE INDUSTRIAL CASTER



93E-S-IRON



93E-R-IRON



93E-STB-IRON



93E-S-SMZTPR



93E-R-SMZTPR



93E-STB-SMZTPR

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
3.5"	80x36	100x82	80x60	8.5	/	/	$\frac{3}{2.5}$	105	80
4"	100x36	100x82	80x60	8.5	/	/	$\frac{3}{2.5}$	128	100
5"	125x40	100x82	80x60	8.5	/	/	$\frac{3}{2.5}$	155	130
6"	160x40	131x107	105x75	11	/	/	$\frac{4}{3}$	195	200
8"	200x50	131x107	105x75	11	/	/	$\frac{4}{3}$	235	230

83K/83XS SERIES: LOW PROFILE HEAVY DUTY CASTER



83K-S-PA



83K-R-PA



83K-STB-PA



83XS-S-NL



83XS-R-NL



83XS-STB-NL

83K	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
2"	50x38	84x84	64x64	8.5x17	M16x30	/	4/2.5	78	300
2.5"	66x50	100x100	80x80	11x12.5	/	/	4/3	95	400
3"	75x50	100x100	80x80	11x12.5	/	/	4/3.5	105	500

83XS	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
3"	75x46	110x85	86x60	11	/	/	5.5/5.5	105	500

88 SERIES: MACHINE HEAVY DUTY CASTER



88-S-MCNL



88-R-MCNL



88-STB-MCNL



88-S-NL



88-R-NL



88-STB-NL

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
2.5"	63x50	110x89	86x60	/	/	/	5.5/5.5	95	750
3"	75x50	110x89	86x60	/	/	/	5.5/5.5	110	1100

46B SERIES: KINGPINLESS HEAVY DUTY CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
4"	100x50	114x110	110x75	20x13	/	/	8/8	159	450
5"	125x50	114x110	110x75	20x13	/	/	8/8	178	500
6"	150x50	114x110	110x75	20x13	/	/	8/8	205	550
8"	200x50	114x110	110x75	20x13	/	/	8/8	256	600

46A SERIES: KINGPINLESS HEAVY DUTY CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
4"	100x55	140x110	110x75	13	/	/	8/8	150	600
5"	125x55	140x110	110x75	13	/	/	8/8	171	700
6"	150x55	140x110	110x75	13	/	/	8/8	196.5	800
8"	200x55	140x110	110x75	13	/	/	8/8	247.5	1000

91 SERIES: TRASH CAN INDUSTRIAL CASTER



93N SERIES:PP/IRON INDUSTRIAL CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
6"	160x40	131x107	105x78	11	/	/	3/3	200	180
8"	200x50	131x107	105x78	11	/	/	3/3	240	250

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
3"	75x25	81x65	60x45	8.5	/	/	1.8/1.8	95	50
4"	100x30	100x80	80x60	8.5	/	/	2/2	125	70
5"	125x37	100x80	80x60	8.5	/	/	2/2	153	80
6"	160x40	130x103	105x75	12.5	/	/	3/3	195	120
8"	200x50	130x103	105x75	12.5	/	/	3/3	240	130

71 SERIES: PU/RUBBER CAST IRON SCAFFOLDING CASTER



71-ST-IPU



71-STTB-IPU



71-ST-RB



71-STTB-RB



71-STTB-PU



71-STTB-PU

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size (mm)	 Axle Size (mm)	 Bore Hole Size (mm)	 Stem Size (mm)	 loading height (mm)	 load capacity (KG)
6"	150x50	/	/	/	100x35	/	/	190	400
8"	200x50	/	/	/	100x35	/	/	235	450

82 SERIES: PP LOW PROFILE CASTER



82-S-PP



82-R-PP



82-STB-PP



82-SLB-PP



82-T-PP



82-TB-PP



82-H-PP



82-HTB-PP


ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size (mm)	 Axle Size (mm)	 Bore Hole Size (mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
1.5"	40x30	66x50	49.2x32.3	6x8.2	M12x30	M12	2.3/2	62	70
2"	50x30	72x54	55.5x38	7x9	M12x30	M12	2.3/2.3	73	80
2.5"	65x40	94x68	72x43.4	9.1x12	M12x30	M12	3/3	92	180
3"	75x45	105x80	82.8x60	9x11	M12x30	M12	3.5/3	105	250

110A SERIES:HEAVY DUTY SHOCK ABSORBER CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
5"	125x50	159x114	130x85	13	/	/	5.5/5.5	186	300
6"	150x50	159x114	130x85	13	/	/	5.5/5.5	198	350
8"	200x50	159x114	130x85	13	/	/	5.5/5.5	248	400

110B SERIES:HEAVY DUTY SHOCK ABSORBER CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
5"	125x50	138x108	95x72	13	/	/	5.5/5.5	188/208	400
6"	150x50	138x108	95x72	13	/	/	5.5/5.5	204/224	450
8"	200x50	138x108	95x72	13	/	/	5.5/5.5	255/275	500

93E SERIES:RUBBER/PP EUROPE TYPE INDUSTRIAL CASTER



93E-S-RB



93E-R-RB



93E-STB-RB



93E-S-PP



93E-R-PP



93E-STB-PP

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
3.5"	80x36	100x82	80x60	8.5	/	/	$\frac{3}{2.5}$	105	80
4"	100x36	100x82	80x60	8.5	/	/	$\frac{3}{2.5}$	128	100
5"	125x40	100x82	80x60	8.5	/	/	$\frac{3}{2.5}$	155	130
6"	160x40	131x107	105x75	11	/	/	$\frac{4}{3}$	195	200
8"	200x50	131x107	105x75	11	/	/	$\frac{4}{3}$	235	230

93N SERIES:RUBBER INDUSTRIAL CASTER



93N-S-RB



93N-R-RB



93N-STB-RB



93N-T-RB




93N-TB-RB



93N-H-RB



93N-HTB-RB

ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	load capacity (KG)
3"	75x25	81x65	60x45	8.5	M10x30	/	$\frac{1.8}{1.8}$	95	50
3.5"	85x25	100x80	80x60	8.5	M12x30	/	$\frac{2}{2}$	110	65
4"	100x30	100x80	80x60	8.5	M12x30	/	$\frac{2}{2}$	125	70
5"	125x37	100x80	80x60	8.5	M12x30	/	$\frac{2}{2}$	153	80
6"	160x40	130x103	105x75	12.5	M16x30	/	$\frac{3}{3}$	195	120
8"	200x50	130x103	105x75	12.5	M16x30	/	$\frac{3}{3}$	240	130



101/102 SERIES:PU CAST IRON/NYLON HANDPALLET WHEEL



ITEM NO	SIZE	BEARING	 load capacity (PU)	 load capacity (NL)
101-8050-PU 102-8050-NL	8050	6204	500	800
101-8060-PU 102-8060-NL	8060	6204	500	800
101-8070-PU 102-8070-NL	8070	6204	500	800
101-8080-PU 102-8080-NL	8080	6204	500	800
101-8090-PU 102-8090-NL	8090	6204	500	800
101-80100-PU 102-80100-NL	80100	6204	500	800
101-18050-PU 102-18050-NL	18050	6204	500	800
101-20050-PU 102-20050-NL	20050	6204	500	800

25SP SERIES:MEDIUM DUTY SHOCK ABSORBING CASTERS



ITEM NO	 diameterwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
3"	75x32	95x70	73. 5x47	9x12	/	/	3/2.3	113	/
4"	100x32	95x70	73. 5x47	9x12	/	/	3/2.3	139	/
5"	125x32	95x70	73. 5x47	9x12	/	/	3/2.3	163	/

*Standard load capacity:40KGS,for higher load capacity need to replace the shock spring

120 SERIES:PNEUMATIC WHEEL HEAVY DUTY CASTER



ITEM NO	 diameterxwidth (mm)	 plate size (mm)	 bore hole spacing (mm)	 Hole Size(mm)	 Axle Size(mm)	 Bore Hole Size(mm)	 Base plate/Bracket Thickness (mm)	 loading height (mm)	 load capacity (KG)
8"	200x64	114x102	85x72.5	11.2x19.6	/	/	5.5/5.5	258	350
10"	250x86	114x102	85x72.5	11.2x19.6	/	/	5.5/5.5	308	400

LA SERIES:LEVELING ADJUSTABLE HEAVY DUTY CASTER



SIZE	Recommended load /4pcs (四轮承载)	load capacity /pce (单轮承载)				F Type		
	kg	kg	mm	mm	mm	 mm	 mm	 mm
40	100	50	84	50	71+10	55*55	42*42	6.5
60	500	250	101	61	82+10	73*73	58*58	7
80	1000	500	125	77	102+15	92*92	70*70	9
100	1500	750	142	90	120+12	92*92	70*70	9
120	2000	1000	141	89	120+12	95*95	70*70	11
150	3000	1500	178	171	132+15	100*100	70*70	13

4-WHEEL FOLDABLE HAND CART



Product Name	Max load	Platform height	Platform size	Wheel dia	Folding size	Unfolding size	Weight
4WF-150PP	150KG	183MM	653X415MM	100MM	653X415X85MM	653X415X920MM	7.15KG
4WF-200PP	200KG	183MM	653X415MM	100MM	653X415X85MM	653X415X920MM	7.3KG

2-WHEEL FOLDABLE TRANSPORT TRUCK



Product Name	Shovel material	Max load	Shove size	Wheel dia	Folding size	Unfolding size	Weight
2WF-AL70E	Aluminium	70KG	395X281MM	125MM	635X395X52MM	1000X395X415MM	3.2KG
2WF-ST60E	Steel	60KG	395X281MM	125MM	635X395X52MM	1000X395X415MM	3.3KG

6-WHEEL FOLDABLE HAND CART



Product Name	Max load	Platform height	Platform size	Wheel dia	Folding size	Unfolding size	Unfolding size	Weight
TPHC-100	100KG	100MM	563/717X355MM	50MM	563X355X100MM	717X860X355MM	1240X680X355MM	4.4KG

FL SERIES: AMERICAN TYPE FLOOR LOCK



FL-A1



FL-J



FL-A1



FL-J

SIZE FL-A1										
4"	/	116x100	85x70	/	/	/	/	/	148	130
5"	/	116x100	85x70	/	/	/	/	/	168	145
6"	/	116x100	85x70	/	/	/	/	/	194	170
8"	/	116x100	85x70	/	/	/	/	/	244	220

SIZE FL-J										
4"	/	120x120	92.6x92.6	/	/	/	/	/	151	125
5"	/	120x120	92.6x92.6	/	/	/	/	/	180	154
6"	/	120x120	92.6x92.6	/	/	/	/	/	210	170
8"	/	120x120	92.6x92.6	/	/	/	/	/	255	215

PLASTIC HANDTRUCK



PLHT-150



PLHT-300

Product Name	Model	mm Tablet Size	mm Wheel diameter	kgs Loading	Sheet material	Casters Material	mm Installation height	mm The total height of the vehicle body	kgs Total body weight	mm Packing size
Blue Foldable Trolley	PLHT-150	500X700	100	150	COPOLYMER PP	PVC	116	835	9.75	753X495X143
	PLHT-300	600X900	125	300		RUBBER TPR	143	875	12.65	912X610X160

COMPLEX COPOLYMER FOLDABLE TROLLEY



QY09101



QY09102

Product Name	Model	mm Tablet Size	mm Wheel diameter	kgs Loading	Sheet material	Casters Material	mm Installation height	mm The total height of the vehicle body	kgs Total body weight	mm Packing size
Foldable trolley	QY09101	500X700	100	200	复合共聚	PP	116	835	10	735X495X143
	QY09102	600X900	125	400		PP	143	875	13.5	912X610X160

CRANKSHAFT MECHANISM SWIVEL CASTER(3 YEARS WARRANTY)

PROVIDING CUSTOMIZABLE CRANKSHAFT WHEEL DEVICES



AGV DRIVING WHEEL(3 YEARS WARRANTY)

WE CAN CUSTOMIZE WHEELS WITH A DIAMETER OF 950MM



160 SERIES: ONE PIECE DROP FORGED STEEL AIR CARGO CASTER



ALC-APS-NL



ALC-BPS-NL



ALC-CPS-NL



ALC-DPS-NL



ALC-EPS-NL



ALC-FPS-NL



ALC-GPS-NL



ALC-BBS-NL

尺寸							
58	58x36	/	/	96	83	107	200
70	70x36	/	/	102	83	107	250

180 SERIES: CUSTOMIZED CASTER-CONTAINER CASTER



CTCA-S-IPU



CTCA-STB-IPU



CTCB-S-IPU



CTCB-STB-IPU


SIZE (CTCA)				
6"	150	75x2	264	6700
8"	200	75x2	272	7000
10"	250	75x2	367	7200
12"	300	75x2	427	7500

SIZE (CTCB)				
6"	150	75x2	247	4500
8"	200	75x2	256	5000
10"	250	75x2	347	5500
12"	300	75x2	403	6000

MOLD ON RUBBER CONTAINER CASTER



CASTER QUALITY ASSURANCE: CERTIFICATION



ITEM NO	diameter/width (mm)	plate size (mm)	bore hole spacing (mm)	Hole Size (mm)	Axle Size (mm)	Bore Hole Size (mm)	Stem Size (mm)	loading height (mm)	load capacity (KG)
16"	413x151	/	/	/	/	/	/	536	6000
22"	541x160	/	/	/	/	/	/	681	9000